



1 Rue du Perron CH – 1204 GENEVA SWITZERLAND

Tel: +41-22-317-73-90

Fax: +41-22-317-73-99

<b>SN-500 Baltic Standard Russian Quality</b>	<b>GUARANTEED</b>	<b>TEST METHOD</b>
1. Density at 20 °C, kg/m <sup>3</sup>	Test and report	GOST 3900 <b>or</b> ASTM D 4052 <b>or</b> ASTM D 1298
2. Kinematic viscosity at 100°C, mm <sup>2</sup> /sec	10.0-11.0	ASTM D 445 <b>or</b> GOST 33 <b>or</b> ISO 3104
3. Viscosity index, min	90	GOST 25371 <b>or</b> ASTM D 2270 <b>or</b> ISO 2909
4. Flash point in open cup, °C, min	230	GOST 4333 <b>or</b> ASTM D 92 <b>or</b> ISO 2592
5. Pour point, °C, max	Minus 9	ASTM D 97
6. Content of sulphur, %	Max 1,0	ASTM D 6481 <b>or</b> ASTM D 4294 <b>or</b> GOST 1437
7. Color on colorimeter CNT, CNT unit, max	3,5	GOST 20284 <b>or</b> ASTM D 1500 <b>or</b> ISO 2049
8. Content of water, ppm, max	100	ASTM D 6304, <b>or</b> IP 438 <b>or</b> IP 439
9. Appearance	Bright & Clear liquid	Visual